# The industry standard for ID printing has advanced



Rio PRO 360°



# ID with an IQ

Magicard has raised the bar. The Rio Pro 360 is everything users love about the original Rio Pro but with faster print speed, increased capacity and improved print quality.

All of this is powered by the all new LYNK onboard intelligence – for identity with an IQ.

### LYNK intelligence

This is a printer with intelligence. The 360 is the first desktop ID card printer with an embedded Linux-based CPU. This enables seamless communication and the secure processing of ID data – just imagine it's got a brain onboard.

## Connectivity intelligence

LYNK recognises USB and Ethernet and can easily be integrated with most third-party applications locally or in the cloud.
WiFi connectivity will soon be available.



# 010010

# Optimised intelligence

The 360 is Magicard's fastest printer to date. The new electronics and software platform has enabled significant performance improvements. From the moment you hit print, the 360 instantly gets to work. Full colour cards with HoloKote® print in just 18 seconds click-to-card.

The LYNK onboard CPU has a wider colour spectrum to choose from. Printing is even more vibrant and colour rich – which on an ID card means a truer representation of the subject.

## ··Versatile intelligence

The state-of-the-art Rio Pro 360 is a cost-effective way to create secure ID cards in high volumes. The choice of 100 or 200 input card hoppers provides users with the opportunity to batch print large number of cards in one go.

### ·Secure intelligence

Like its predecessor, the Rio Pro 360 can print an anti-fraud customised watermark on every card. LYNK now enables the secure online delivery of bespoke HoloKote® watermarks to the printer. Where previously only one design was available per printer, now users can store up to ten.

# Rio PRO 360°



# Rio Pro 360 - the **intelligent** identity solution

### **Printer features**

#### Standard

















#### **Optional**



















# Free 3 year limited warranty and support\*

The Rio Pro 360 is backed by the best warranty in the industry.

The fully comprehensive three-year UltraCoverPlus package includes no-quibble printhead cover and a hot-swap loaner service. 360 users will never be without their printer and always have full access to the global Magicard technical support team.

\*Available in the UK, EU, North America and other selecte territories. Elsewhere a minimum of one year limited depot warranty.

# The intelligent identity solution for:

Enterprise, facilities, education, governments and payment applications.



#### Printer highlights











#### **Printer specifications**

Colour dye sublimation, monochrome thermal printing and rewritable technology.

#### Print speed - single-sided

Colour: 18 seconds per card /200 cards per hour. Monochrome: 5 seconds per card/750 cards per hour.

#### **Card security**

A HoloKote security watermark can be printed across the card surface. With the Rio Pro 360, this watermark can be customised to an organisation's logo, or some other unique security design, LYNK enables the secure online delivery of up to ten bespoke HoloKotes to the printer through the

When used with HoloPatch® cards, one area of the HoloKote watermark can be highlighted as a high visibility security seal.

#### **Encoding security options**

Magnetic stripe encoding: HiCo and LoCo ISO 7811, JIS2. Smart card encoding: Contact chip, MIFARE®, DESFire® and iClass®. Others available.

#### Warranty\*

3 years UltraCoverPlus with full printhead coverage and free loaner service - Available in North America, EU and other selected territories. Elsewhere a minimum of one year limited

#### Card capacity

100/200-card feeder, 70-card stacker,

#### Printer interfaces

High Speed USB 2.0, USB 3.0 compatible - Type B, 10/100 Ethernet. 2x internal USB 2.0 (one host) - Type A.

#### **Driver compatibility**

Windows XP, Vista, 7, 8, 10 (32 and 64bit) Windows server 2003 R2 SP2, 2008, 2012, 2016. Mac OS X 10.9.0 upwards. Linux with CUPS support.

#### Weight

4.7kg /10.4 lbs.

#### Power source

External power supply 100-240V 50-60Hz autoranging.

#### **Dimensions**

470mm L x 220mm W x 300mm H / 18.5" L x 8.6" W x 12" H including feeder and stacker

#### Operating environment

Sheltered office environment 10°C to 30°C / 50°F to 85°F.

#### Consumables

#### Part No.

Part No.

#### Dye film

• YMCKO 5 panel dye film, 300 images. MA300YMCKO YMCKOK 6 panel dye film, MA250YMCKOK

250 double-sided images colour on front, black on back (double-sided only).

• Monochrome resin black dye film, MA1000K-Black\*

1000 images. Also available in \*White, \*Blue, \*Green, \*Red, \*Gold and \*Silver.

 KO black and overcoat resin dye film, MA600KO 600 images

#### Card types/thickness

CR80/CR79 PVC ISO blank cards, HiCo magnetic stripe, smart cards, self-adhesive, rewritable and HoloPatch cards. 0.51mm to 1.02mm / 0.020" to 0.040"

#### HoloPatch® cards

Use HoloKote with HoloPatch for a highly-visible gold seal on the card.

#### Cleaning kit

3633-0053 10 cleaning cards, 1 pen.

#### Cleaning roller kit

5 cleaning rollers, 1 metal roller bar. 3633-0054

#### Variants

3652-3001
3652-3002
3652-3003
3652-3004
3652-3021
3652-3022
3652-3023
3652-3024

#### Online upgrades

#### Online double-sided upgrade

Upgrade the Rio Pro 360 Uno to the Rio Pro 360 Duo. Delivered online through the driver interface

#### Online Custom HoloKote upgrade

Grid or full card pattern. Up to ten custom designs can be added through the driver interface using the online HoloKote tool.

#### Card security options

#### HoloKote®

An anti-fraud watermark printed across the entire card surface. The Rio Pro 360 includes ten standard designs.







#### HoloPatch<sup>®</sup>

HoloPatch cards have a highly reflective gold 'super diffuser' foil square that enhances the visibility of the overprinted HoloKote logo.





#### Custom HoloKote®

Up to ten bespoke watermark designs can be added through the driver interface using the online HoloKote tool.







#### Magnetic stripe

The Rio Pro 360 can be specified with ISO 7811 HiCo and LoCo encoding of magnetic stripe cards. Other formats available on request.





The Rio Pro 360 can be specified with contact chip, MIFARE®, DESFire® and iClass® encoding capability. Other formats available on request.









\*\*Warranty subject to the observance of specific conditions of use and maintenance, as well as the use of certified 'Original Magicard' dye films.

Magicard and Rio Pro 360 are trademarks or registered trademarks of Magicard Ltd. arks, brand names, or product names belong to their re

The information contained in this document reflects the current state of design and we reserve the right to change the specification without notice or obligation.



#### Magicard Ltd - Headquarters and manufacturing centre

Hampshire Road, Weymouth, Dorset DT4 9XD, United Kingdom

Tel: +44 (0)1305 47 00 00 Email: info@magicard.com



Americas - sales and support center

6724 185th, Avenue NE, Suite A, Redmond, WA 98052, USA Toll free: 877 236 0933

Tel: +1 (425) 556 9708 Email: USsales@magicard.com

#### Global offices

United Kinadom Furone Americas Asia UAF











